

(Pavimento SPC con sottopavimento integrato, spessore 5,5 mm AC4)

Pavimento vinilico di ultima generazione con fibra minerale. La nuova composizione lo rende più stabile, resistente alle escursioni termiche e con una tolleranza maggiore alle imperfezioni del pavimento (ridotto effetto "telegrafo"). Alta resistenza al calpestio e posa rapida grazie al sotto-pavimento integrato, che lo rende un pavimento versatile ed economico.

Per istruzioni di montaggio inquadra il QR code a pag.6

(SPC floor with integrated underfloor, thickness 5.5 mm AC4)

Latest generation vinyl floor with mineral fiber. The new composition makes it more stable, resistant to temperature changes and with a greater tolerance to floor imperfections (reduced "telegraph" effect). High walking resistance and quick laying thanks to the integrated sub-floor, which makes it a versatile and economical floor.

For assembly instructions, scan the QR code on page 6.

Caratteristiche / Features	SPC AC4
Composizione / Composition:	PVC eterogeneo + fibre minerali / Heterogeneous PVC + mineral fibres
Spessore / Thickness:	5,5 mm (4mm+1,5mm di sottopavimento) / 5.5 mm (4mm+1.5mm underfloor)
Strato di usura / Wear layer:	0,40 mm
Listone / Plank - Listone XL / XL Plank:	18,3 x 121,92 cm - 22,83 x 121,92 cm XL
Confezioni / Packages:	1 scatola contiene 10 listoni equivalenti a 2,24 mq / 1 box contains 10 planks equivalent to 2.24 sqm
	1 scatola contiene 8 listoni XL equivalenti a 2,24 mq / 1 box contains 8 XL planks equivalent to 2.24 sqm
Pancale / Pallet:	Listone / Plank 134,4 mq
	Listone XL / XL Plank 115,96 mq



AC4-ISO 10874



IGNIFUGO
CLASSE BFL
S1 EN 9239



E1
HCHO
EMISSIONE
FORMALDEIDE



RESISTENZA UV
ISO 105 B02



ANTISCIVOLO



RESISTENZA
AGENTI CHIMICI
EN 423





PVCS3307

PL4059 Profilo a T - PL4081 Terminale



PVCS3592

PL4058 Profilo a T - PL4080 Terminale



PVCS3593

PL4055 Profilo a T - PL4077 Terminale





PVCS3306

PL4061 Profilo a T - PL4083 Terminale



PVCS3309

PL4056 Profilo a T - PL4078 Terminale





PVCS3340 XL

PL4054 Profilo a T - PL4076 Terminale