

Listoni e Piastrelle / Planks and Tiles

SPC ad incastro Rigid Core (Pavimento SPC spessore 6 mm AC5)

SPC ad incastro Rigid Core. Nuova collezione di pavimenti di ultima generazione a struttura rinforzata con fibra minerale. La nuova composizione rende il pavimento più stabile e resistente alle escursioni termiche a ridotto coefficiente di dilatazione e con una tolleranza maggiore delle imperfezioni dei pavimenti preesistenti (fughe ceramiche). Velocità di montaggio, resistenza all'abrasione e grande stabilità alla dilatazione termica, ne fanno il pavimento ideale per locali di grandi dimensioni ed alta calpestabilità.

Per istruzioni di montaggio inquadra il QR code a pag.6

Rigid Core Interlocking SPC (AC5 6 mm thickness SPC floor)

Rigid Core Interlocking SPC. New collection of state-of-the-art floors with a structure reinforced with mineral fibres. The new composition makes the floor more stable and resistant to thermal excursions with a reduced coefficient of expansion and with greater tolerance of the imperfections of the pre-existing floors (ceramic joints). Fast assembly, resistance to abrasion and great stability to thermal expansion, this is the ideal floor for large rooms and high traffic areas.

For assembly instructions, scan the QR code on page 6.

Caratteristiche / Features	SPC AC5 da incastro / Interlocking
Composizione / Composition:	PVC eterogeneo + fibra minerale / Heterogeneous PVC + mineral fibre
Spessore / Thickness:	6 mm (5 mm + 1 mm di sottopavimento) / 6 mm (5 mm + 1 underfloor)
Strato di usura / Wear layer:	0,55 mm
Listone / Plank - Listone XXL / XXL Plank:	22,8 x 152,0 cm
Spina di pesce / Herringbone flooring:	11,0 x 66,0 cm
Confezioni / Packages:	1 scatola contiene 7 listoni equivalenti a 2,42 mq 1 box contains 7 planks equivalent to 2.42 sqm 1 scatola contiene 20 listoni equivalenti a 1,45 mq 1 box contains 20 planks equivalent to 1.45 sqm
Pancale / Pallet:	Listone XXL / XXL Plank 145,2 mq Spina di pesce / Herringbone flooring 87,0 mq



STRUTTURA DEL SPC / SPC'S STRUCTURE



+ Pratico: sottopavimento integrato
+ Resistente: SPC minerale alta resistenza
+ Economico: posa veloce Fai da Te
+ Resistenza all'umidità

+ Practical: integrated underfloor
+ Resistant: High strength mineral spc
+ Economical: quick laying DIY
+ Moisture resistance



PVCS4115 - Plancia / *Plank* XXL

PL4126 Profilo a T - PL4136 Terminale



PVCS4116 - Plancia / *Plank* XXL

PL4127 Profilo a T - PL4137 Terminale



PVCS4117 - Plancia / *Plank* XXL

PL4128 Profilo a T - PL4138 Terminale



PVCS4118 - Plancia / *Plank* XXL

PL4129 Profilo a T - PL4139 Terminale





PVCS4019 - Plancia / Plank XXL

PL4050 Profilo a T - PL4072 Terminale





PVCS4021 - Plancia / Plank XXL

PL4052 Profilo a T - PL4074 Terminale



PVCS4022 - Plancia / Plank XXL

PL4053 Profilo a T - PL4075 Terminale

